

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE		PAGE 1 OF 6 PAGES	
2. AMENDMENT/MODIFICATION NO. <div style="text-align: center;">A-001</div>		3. EFFECTIVE DATE <div style="text-align: center;">04-03-2013</div>		4. REQUISITION/PURCHASE REQ. NO. <div style="text-align: center;">PR2337569</div>		5. PROJECT NO. (If applicable)	
6. ISSUED BY GSO/Contracting and Procurement US Embassy Manila Seafront Compound Roxas Boulevard, Pasay City		7. ADMINISTERED BY (If other than item 6)		CODE			
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)				(X)		9A. AMENDMENT OF SOLICITATION NO. <div style="text-align: center;">SRP380-13-Q-0303</div>	
				X		9B. DATED (SEE ITEM 11) <div style="text-align: center;">03-22-2013</div>	
						10A. MODIFICATION OF CONTRACT/ORDER NO.	
						10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS							
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment your desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. ACCOUNTING AND APPROPRIATION DATA (If required)							
13. THIS ITEM ONLY APPLIES TO MODIFICATION OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.							
CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.						
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).						
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:						
	D. OTHER (Specify type of modification and authority)						
E. IMPORTANT: Contractor <input checked="" type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.							
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) SRP38-13-Q-0303 is being amended as follows: 1. To reflect revisions on the Scope of Work under Section 1 - General relative to the Q&A. 2. To issue Questions and Answers 3. The submission date and time of 05 April 2013, no later than 4PM remain unchanged. All other terms and conditions remain unchanged and in full force and effect.							
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect							
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)			
				NENITA V. WHITAKER			
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA		16C. DATE SIGNED	
(Signature of person authorized to sign)				(Signature of Contracting Officer)		4/3/13	

QUESTIONS for RFQ No. SRP380-13-Q-0303
Supply and Installation of 750 KVA Power Transformer
at GPS Building, Seafront Compound

The following questions were asked during and after the conference. The corresponding replies are hereby provided:

1. Q: Will the supply of power cables from primary side of the transformer to high Voltage Switchgear be part of the supply and installation works or will the contractor be using the existing power cables?

A: Existing power cables shall be used. Contractor shall be responsible of terminating the existing wires to the transformer. Refer to Scope of Work Part 1b-iv.
2. Q: What is the size of existing wires and elbow connectors? What is the existing brand?

A: Hi side = XLPE/ Size #2
Low Side = three(3) - 4 sets 250 MCM
Refer to Scope of Work Part 1b-vii
3. Q: What are the sizes of the Power Cables from secondary side of transformer to the Low Voltage Switchgear?

A: Low Side = three(3) - 4 sets 250 MCM + Ground
Refer to Scope of Work Part 1b-viii
4. Q: Will the contractor be using the existing concrete pad or replace it based on the new supply transformer?

A: The Contractor shall use the existing concrete pad. In case the concrete pad requires rectification due to size of transformer, the USG will be responsible for civil works.
Refer to Scope of Work Part 1 b-ii
5. Q: What is the distance from High Voltage Switchgear to Transformer and Transformer to Low Voltage Switchgear?

A: Answer: Approximately 132 meters Contractor shall verify exact measurement on site.
Refer to Scope of Work Part 1b-ix
6. Q: Can the USG Provide the floor/area plan?

A: The perimeter area of the transformer is as follows: Area of concrete pad is 0.94m x 1.71m; Transformer area is 3.70m x 4.27m. Contractor shall verify exact measurement on site.
Refer to Scope of Work Part 1b-x & xi

7. Do we still need to include our company profile and product brochure on the original copy and duplicate copy?

A: Refer to Solicitation No. SRP380-13-Q-0303 Section J.B. Submission of Quotations

SCOPE OF WORK

PROJECT TITLE: Supply and Installation of 750 KVA Power Transformer
LOCATION: GPS Building Seafront Compound

1. GENERAL

- a. The contractor shall furnish all required personnel, tools of trade, materials, equipment, transportation, technical expertise and a competent English speaking supervisor or foreman who will stay at the job site every work day throughout the progress of the project in connection with Supply and Installation of 750 KVA Power Transformer Serving GPS Building.
- b. The work shall consist of:
 - i. Site Preparation and Investigation. To determine the existing 750 KVA Power Transformer and to verify current location condition. To provide shop drawing for COR approval in preparation to the installation of the new 750 KVA Transformer.
 - ii. The contractor shall be responsible for the handling and positioning of the old and new Power Transformers. *The Contractor shall use the existing concrete pad. In case the concrete pad requires rectification due to size of transformer, the USG will be responsible for civil works.*
 - iii. Decommissioning of existing 750KVA Power Transformer Unit. Disconnection of the Power Transformer to the existing terminal wires. Removal and relocation of existing unit to be determined by USG.
 - iv. Installation of new 750KVA Power Transformer Unit including termination of existing wires with proper insulation including proper support of the equipment once in place.
 - v. Testing and commissioning of the unit after installation.
 - vi. Hauling of debris.
 - vii. *Size and brand of existing wires and elbow connectors:
Hi side = XLPE/Size #2, Low side = three (3) – 4 sets 250 MCM*
 - viii. *Size of power cables from secondary side of transformer to low voltage switchgear: Low side = three (3) – 4 sets 250 MCM*
 - ix. *Distance from high voltage switchgear to transformer and transformer to low voltage switchgear: approximately 132 meters. Contractor shall verify exact measurement on site.*
 - x. *Area of concrete pad is approximately 0.94m x 1.71m. Contractor shall verify exact measurement on site.*
 - xi. *Transformer area is approximately 3.70m x 4.27m. Contractor shall verify exact measurement on site.*

2. PERSONNEL

- a. The Contractor shall provide sufficient personnel possessing the skills and knowledge to perform the work required of this project.
- b. Immediately on commencement of work, the Contractor shall assign on site a knowledgeable English speaking project supervisor who shall be responsible for the overall management and coordination of this contract, receive instructions from the COR, resolve problems and with authority to act for the Contractor.

3. QUALITY CONTROL

- a. All work shall be done in favorable weather conditions or the work shall be suitably protected from the weather.
- b. All damages inflicted on the existing surrounding structures and property resulting from the performance of this project must be repaired or restored to its original condition at the Contractor's expense.
- c. Liquidated damages of **Php 7,989.35** shall be assessed for each day the work remains incomplete beyond the work deadline.

4. WORKING HOURS

- a. Working hours shall be from 0730 hours to 1630 hours, from Monday thru Friday.
- b. Request for Saturday, Sunday, holidays and other hours of work shall be submitted to the COR at least two (2) days in advance for the approval of the Security Office.

5. PROHIBITIONS

- a. Smoking is strictly prohibited at the work site. A smoking area will be assigned.
- b. Contractor's personnel are to use only proper toilet facilities. Urinating on walls, plants, trees, grass and other areas is strictly prohibited. Violator shall be permanently removed from the compound. Contractor shall provide commercial portable toilet.

6. SECURITY

- a. Contractor's personnel must stay within the working site and not wander around the adjacent areas not covered under this scope of work.
- b. Contractor's workers are prohibited to stay inside the work area after each day's work.

7. GOVERNMENT-FURNISHED MATERIALS, PROPERTY AND SERVICES

- a. Electric power and water required for this project shall be supplied. The Contractor is responsible for all connections and extensions to the work area.
- b. The project shall be monitored and inspected by the COR and/or his assigned project inspector upon whose approval the work will be accepted.
- c. The COR shall designate the area where the contractor can build a temporary storage and lockers space which shall be kept clean, orderly and secure at all times. Contractor's personnel are not allowed to roam around the premises during work hours or stay after each day's work.

8. CONTRACTOR-FURNISHED MATERIALS / ITEMS

a. MATERIALS

- i. The contractor shall provide all labor, and supplies to perform the services required in this contract.
- ii. The contractor shall put up temporary barriers or yellow caution tapes to keep away people from work site.

b. EQUIPMENT & TOOLS

- i. Supply of Step-down Transformer with the following specifications:
 - A. Capacity : 750KVA
 - B. Primary : 4160V
 - C. Taps (offload) : 2x2.5%FCAN/BN
 - D. Secondary : 480V / 277V

- E. Temp. Rise : 50 to 65deg C at 40 deg C ambient
 - F. Insulation : OA
 - G. Coolant : Mineral Oil
 - H. Configuration : Delta-Wye Configuration
 - I. Core Made : Non-aging grain oriented silicon steel
 - J. Enclosure : Distribution Type
 - K. Accessories : Oil level gauge, pressure relief valve, Hand hole, Diagrammatic nameplate & Cooling Fins
 - L. ANSI
- ii. Transformer shall be supplied within the required specifications or approved equal by the COR.
 - iii. The Contractor shall furnish all tools and special equipment to perform section task required.
 - iv. All temporary connections to existing utility lines will be made by the Contractor. The Contractor shall enforce strict utilities conservation practices.

9. SPECIFIC TASKS

- a. The contractor shall inform the US Government the delivery date of the 750 KVA Power Transformer upon Notice to Proceed and the installation works shall be completed within **two (5) days**.
- b. The Contractor shall and submit to the COR or GTM a "Daily Log Sheet", completed daily. Data to be reported includes data on workers by classification, the move-on and move-off of construction equipment furnished by the prime and subcontractor or furnished by the Government, and materials and equipment delivered to the site.

10. CLEANING TASKS

- a. The contractor shall continuously, during the progress of the work, remove and dispose of dirt and debris and keep work area clean, neat and orderly and in such order as to prevent safety hazards. Debris shall be collected and removed from the job-site daily.
- b. Domestic rubbish containers on the premises shall not be utilized by the Contractor for storage or disposal of construction rubbish

11. SAFETY

- a. The project safety, in all respects, is the sole responsibility of the Contractor.
- b. The Contractor shall comply with the U.S. OSHA (Occupational Safety and Health Administration) and Local Safety and Health Requirements, and shall assume full responsibility and liability for compliance with all other applicable standards and regulations pertaining to accident prevention, life, health, and safety of personnel, as well as preventing damage to materials, supplies, and equipment. The Contractor will hold the Government and its agents harmless for any action, errors, or omission on his part, his employees, or his subcontractors that result in illness, injury or death.
- c. The Contractor shall provide employees with and require the use of safety equipment, personal protective equipment and device necessary for protection.
- d. The Contractor is responsible for all injuries to his workers.